

Accurate Plastics, Inc.
18 Morris Place, Yonkers, NY 10705
33 Tech Park Dr., Falmouth, MA 02536
914.476.0700 phone
914.476.0533 fax
acculam.com web

Section 1. Chemical Product and Company Identification

Product name Acculam® Matrix HT (G14)	Trade Name Acculam® Matrix HT G14	
Product Description Rigid composites having a glass fabric reinforcement		
with resin matrix binder Manufacturer	IN CASE OF EMERGENCY:	
Accurate Plastics, Inc. 18 Morris Place Yonkers, NY 10705-1929	Tel: 914-476-0700	
Tollkers, 141 10705 1727	Chemtrec:	
Date of Preparation: 3/17/17	Replaces: n/a	
Preparers Name J. Wilfong		

Section 2. Hazards Identification

As received this product <u>is not classified</u> as hazardous by OSHA. Dust and fumes generated during machining and processing of this product are classified as hazardous according to OSHA standards.

GHS Classification of Phenolic Fiberglass Laminate at Ambient Conditions		
Inhalation	Not Classified	
Skin	Not Classified	
Eyes	Not Classified	
Ingestion	Not Classified	
Cancer	Not Classified	
Chronic	Not Classified	

GHS Classifications and Statements for Resin Mix Fiberglass Dust and Fumes



WARNING!

Hazard Statements			
Dust generated during machining and grinding operations may cause eye irritation	Н 315; Н332		
Fumes from thermal decomposition or burning may irritate eyes, nose & respiratory system	H 315; H 320; H332; H 335		
Dust generated by machining operations can be explosive. Dust may accumulate to explosive	H 201 Mass explosion hazard		
concentrations in uncontrolled environments.			
Fumes may contain trace concentrations of formaldehyde (known carcinogen)	H 350 May cause cancer		
Precautionary Statements			
Avoid eye exposure to dust and fumes	P262		

Date of Issue: 3/17/2017

MATERIAL SAFETY DATA SHEET

Acculam® Matrix HT

Avoid skin contact with dust and fumes	P261
In case of inadequate ventilation wear respiratory protection	P285
Prolonged exposure to dust and/or fumes may cause chronic respiratory illness	R48/20

Section 3. Composition, Information on Ingredients

Component Information		
Component CAS #		
Fiberglass 65997-17-3		
Resin matrix	Not Listed	

Section 4. First Aid Measures

Eyes	Immediately wash the eyes with large amounts of water for at least 15 minutes, occasionally lifting the lower and upper lids. Get medical attention immediately. Contact lenses should not be worn when working with this material.
Skin	Immediately wash the contaminated skin with soap and water. If redness, itching or a burning sensation develops, get medical attention.
Inhalation	Immediately move the exposed person to fresh air. If not breathing, give artificial respiration and get immediate medical attention.
Ingestion	If large quantities have been swallowed, DO NOT INDUCE VOMITING. If victim is conscious and alert, give 2 - 4 cups of lukewarm water. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flash Point	N/D		
Flammability Classification OSHA/NFPA	Flash Pt. <00°F Class: Solid		
Extinguishing Media	Carbon dioxide, water, foam.		
Unusual Fire and Explosions Hazards	Isolate fire area and deny unnecessary entry. Fire fighters should wear positive-pressure self-contained breathing apparatus (SCBA) and protective clothing. Dust from machining and fabrication operations may be explosive if mixed with air in critical proportions in the presence of an ignition source. Heat from fire can generate decomposition products that may cause a health hazard.		

Section 6. Accidental Release Measures

Small Spills	Contain and manage dust during manufacturing. If collected dust is spilled from collection container sweep up spilled material using water spray to suppress the dust. Shovel into suitable disposal container. Eliminate all ignition sources.	
Large Spills	Eliminate all ignition sources. Sweep up spilled material using water spray to suppress dust. Transfer to proper containers for disposal. Persons not wearing protective equipment should be excluded from the area of spill until cleanup has been completed.	

Section 7. Handling & Storage

Store material in a clean, cool, ventilated area away from all sources of ignition. Dust generated during normal manufacturing operations can represent both a health hazard and a fire hazard. Use dust control equipment at the point of generation in machining and sawing operations. Wash hands and other exposed areas thoroughly after handling and wash soiled clothing before reuse.

Date of Issue: 3/17/2017

Section 8. Exposure Controls/Personal Exposure

Component Information		Exposure Limits		
Chemical Name	CAS #	TLV, TWA ACGIH	OSHA PEL, TWA	
Fiberglass continuous glass filament	65997-17-3	10 mg/m3 (dust)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable	
Resin matrix	Not Listed	$10 \text{ mg/m}^3 \text{ (dust)}$	15 mg/m ³ (total dust)	
Dust generated during grinding, cutting, or drilling cotton reinforced plastic produces non respirable fiber shaped plastic (organic) particles and respirable cotton dust regulated by OSHA as noted above. Trace amounts (<0.05%) of unreacted polymer precursors which may be released during machining operations as a co-contaminants with the dust.				
Personal Protective Equipment				
Eye Protection		Minimize dust generating activities. Wear safety goggles with side shield or face shield. Contact lenses must not be worn.		
Skin Protection	heated materia	Wear gloves to protect against sharp edges and thermal effects when handling heated material. To prevent repeated or prolonged skin contact, wear impervious clothing and boots.		
Respiratory Protection	ventilation, w NIOSH/MSH	If personal exposure cannot be controlled below applicable limits by area ventilation, wear a properly fitted particulate respirator approved by NIOSH/MSHA for protection against dust. (See Section 2)		
Ventilation General area ventilation is acceptable if the exposure is maintained be applicable exposure limits. (See Section 2) Use local exhaust for saw				

Section 9. Physical and Chemical Properties

% Volatile Content by Weight	<0.05%	Specific Gravity (gm/cc)	1.2
Melting Point	N/A	Freezing Point (^o C)	N/A
Vapor Pressure (mm Hg)	N/A	Solubility in Water	Insoluble
Vapor Density (Air=1)	N/A	Appearance and Odor	Light Tan Solid

immediate vicinity of any potential exposure.

Emergency eye wash fountains and safety showers should be available in the

Date of Issue: 3/17/2017

machining operations.

Section 10. Stability and Reactivity

Stability	Stable	
Conditions to Avoid	Protect from heat, sparks, flame and possible sources of ignition.	
Incompatibility	Avoid contact with strong acids and bases	
Hazardous Decomposition Products	Carbon dioxide, carbon monoxide, bromine and other hazardous gases. These gases and other volatiles may be generated under normal processing conditions.	
Hazardous Polymerization	Will Not Occur	

Section 11. Toxicological Information (see Section 2. for Exposure Symptoms)

Acute Toxicity			
Component Tested	Oral LD ₅₀ (rat)	Dermal LD ₅₀ (rabbit)	Inhalation LC ₅₀ 4hr (rat)
No data available.			

Section 12. Ecological Information

No data available.

Other Precautions

Section 13. Disposal Considerations

RCRA: This product, if disposed as shipped, is not considered a hazardous waste as specified in 40 CFR 261. Dispose of in accordance with all applicable federal, state and local regulations. Generation of particulates during machining and fabricating operations may be subject to Federal and State Air Pollution Control Laws.

Section 14. Transportation Information

This product, if offered for shipment, is not regulated by USDOT 49 CFR Parts 171 - 180: Regulation of Hazardous Materials				
Transportation in Commerce.				
Shipping Information	N/A			
Classification	N/A			
Identification	N/A			
Packing Group	N/A			
Label	N/A			
NOT REGULATED AS HAZMAT				

Section 15. Regulatory Information

Regulations Governing Produ	uct:			
Inventory Status: United States (TSCA) - All ingredients are on the inventory or exempt from listing.				
SARA TITLE III				
EPCRA 302 EHS Extremely Hazardous Substance Reporting: N/A				
EPCRA 311/312 Tier II Chemical Inventory Reporting: N/A				
Regulations Governing Ingredients The reportable chemicals contained in these products are below De Minimis concentrations.				
Chemical Name	CAS #/Chemical Category	CERCLA RQ	SARA TITLE III EPCRA 313 RQ	

Section 16. Other Information

REFERENCES

CRC Press: Handbook of Chemical and Physical Constants by David R. Lide

Merck & Company: The Merck Index

Sigma-Aldrich Company: Aldrich Handbook of Fine Chemicals

Dictionary of Toxicology by Robert Lewis National Library of Medicine TOXNET

US Department of Transportation, Research and Special Programs Administration: Hazardous Materials Table, Special Provisions, Hazardous Materials Communications, Emergency Response Information, and Training Requirements

The information contained herein are given in good faith but no guarantee or warranty of any kind, expressed or implied, is made with respect to the information above.

Accurate Plastics, Inc. expressly disclaims any liability which may be incurred in using the information contained herein.

Date of Issue: 3/17/2017